

國家極度瀕危 (NCR) 類別陸域哺乳類名錄

分類群	中文名	評估標準	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Lutra lutra</i> (Linnaeus, 1758)	歐亞水獺	C2a(i)b; D	NCR	NT
<i>Pteropus dasymallus formosus</i> Sclater, 1873	臺灣狐蝠	C2a(i)b	NCR	VU

國家瀕危 (NEN) 類別陸域哺乳類名錄

分類群	中文名	評估標準	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Prionailurus bengalensis</i> (Kerr, 1792)	石虎	C1; E	NEN	LC
<i>Ursus thibetanus formosanus</i> Swinhoe, 1864	臺灣黑熊	C2a(i)	NEN	VU
<i>Vespertilio sinensis</i> (Peters, 1880)	霜毛蝠	A2(acd); B1ab(iii,iv,v)c(iv); C2b	NEN	LC

國家易危 (NVU) 類別陸域哺乳類名錄

分類群	中文名	評估標準	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Martes flavigula chrysospila</i> Swinhoe, 1866	黃喉貂	C2a(i)	NVU	LC
<i>Mustela nivalis formosana</i> Lin et al., 2010	臺灣小黃鼠狼	B1ab(iii, iv); D2	NVU	LC
<i>Coelops frithii formosanus</i> Horikawa, 1928	臺灣無尾葉鼻蝠	C2a(i)b	NVU	NT
<i>Myotis formosus flavus</i> Shamel, 1944	金黃鼠耳蝠	A2(ad); B2b(iii)c(iii); Ca(i)b	NVU	NT
<i>Chimarrogale leander</i> Thomas, 1902	水鼯	B1ab(iii)c(iii,iv)	NVU	LC
<i>Manis pentadactyla pentadactyla</i> Linnaeus, 1758	穿山甲	C2b	NVU	CR

國家接近受脅 (NNT) 類別陸域哺乳類名錄

分類群	中文名	評估標準	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Rusa unicolor swinhoii</i> (Sclater, 1862)	臺灣水鹿	B1c(iv)	NNT	VU
<i>Viverricula indica</i> (É. Geoffroy Saint-Hilaire, 1803)	麝香貓	B1c(iv)	NVU	LC
<i>Plecotus taivanus</i> Yoshiyuki, 1991	臺灣長耳蝠	B1b(i)	NLC	NT
<i>Myotis soror</i> Ruedi et al., 2015	紅棕鼠耳蝠	B1c(iii)	DD	DD
<i>Myotis pilosus</i> (Peters, 1869)	大足鼠耳蝠*	C2a(i)	--	VU
<i>Harpiocephalus harpia</i> (Temminck, 1840)	毛翼管鼻蝠	B1c(iii)	DD	LC
<i>Chodsigoa sodalis</i> Thomas, 1913	細尾長尾鼯	B1b(iii)	DD	DD
<i>Eothenomys colurnus</i> (Thomas, 1911)	黑腹絨鼠	B1c(iv)	NNT	LC
<i>Alexandromys kikuchii</i> (Kuroda, 1920)	高山田鼠	B1c(iv)	NNT	LC

\*本報告新列入之新紀錄種，--為 2017 年未評估。

資料缺乏 (DD) 類別陸域哺乳類名錄

分類群	中文名	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Hypsugo pulveratus</i> (Peters, 1871)	灰伏翼	DD	LC

國家暫無危機 (NLC) 類別陸域哺乳類名錄

分類群	中文名	2017 臺灣 紅皮書類別	2024 全球 紅皮書類別
<i>Capricornis swinhoei</i> Gray, 1862	臺灣野山羊	NNT	LC
<i>Muntiacus reevesi micrurus</i> (Sclater, 1875)	臺灣山羌	NLC	LC
<i>Sus scrofa taiwanus</i> (Swinhoe, 1863)	臺灣野豬	NLC	LC
<i>Urva urva formosana</i> (Bechthold, 1936)	食蟹獾	NNT	LC
<i>Melogale subaurantiaca</i> (Swinhoe, 1862)	鼬獾	NLC	LC
<i>Mustela sibirica taiwana</i> Thomas, 1913	黃鼠狼	NLC	LC
<i>Paguma larvata</i> (C. H. Smith, 1827)	白鼻心	NLC	LC
<i>Hipposideros armiger terasensis</i> Kishida, 1924	臺灣葉鼻蝠	NLC	LC
<i>Miniopterus fuliginosus</i> (Hodgson, 1835)	東亞摺翅蝠	NLC	NE
<i>Tadarida insignis</i> (Blyth, 1862)	東亞游離尾蝠	NLC	DD
<i>Rhinolophus formosae</i> Sanborn, 1939	臺灣大蹄鼻蝠	NLC	LC
<i>Rhinolophus monoceros</i> Andersen, 1905	臺灣小蹄鼻蝠	NLC	NE
<i>Kerivoula furva</i> Kuo et al., 2017	玄彩蝠	NLC	LC
<i>Harpiola isodon</i> Kuo et al., 2006	金芒管鼻蝠	NLC	LC
<i>Murina bicolor</i> Kuo et al., 2009	黃胸管鼻蝠	NLC	LC
<i>Murina gracilis</i> Kuo et al., 2009	姬管鼻蝠	NLC	LC
<i>Murina puta</i> Kishida, 1924	臺灣管鼻蝠	NLC	LC
<i>Murina recondita</i> Kuo et al., 2009	隱姬管鼻蝠	NLC	LC

<i>Myotis fimbriatus taiwanensis</i> Ärnback-Christie-Linde, 1908	臺灣毛腿鼠耳蝠	NLC	LC
<i>Myotis frater</i> Allen, 1923	長尾鼠耳蝠	NLC	LC
<i>Myotis laniger</i> (Peters, 1870)	華南水鼠耳蝠	NLC	LC
<i>Myotis rufoniger</i> (Tomes, 1858)	赤黑鼠耳蝠	NLC	LC
<i>Myotis secundus</i> Ruedi et al., 2015	長趾鼠耳蝠	NLC	LC
<i>Submyotodon latirostris</i> (Kishida, 1932)	寬吻鼠耳蝠	NLC	LC
<i>Barbastella darjelingensis</i> (Hodgson, 1855)	東方寬耳蝠	NLC	LC
<i>Eptesicus pachyomus horikawai</i> Kishida, 1924	堀川氏棕蝠	NLC	LC
<i>Nyctalus plancyi</i> (Gerbe, 1880)	絨山蝠	NLC	LC
<i>Pipistrellus abramus</i> (Temminck, 1838)	東亞家蝠	NLC	LC
<i>Scotophilus kuhlii</i> Leach, 1821	高頭蝠	NLC	LC
<i>Thainycteris torquatus</i> (Csorba and Lee, 1999)	黃頸蝠	NLC	LC
<i>Crocidura tadae</i> Tokuda and Kano, 1936	長尾麝鼯	NLC	DD
<i>Crocidura shantungensis hosletti</i> Jameson and Jones, 1977	小麝鼯	NLC	LC
<i>Crocidura tanakae</i> Kuroda, 1938	灰麝鼯	NLC	LC
<i>Suncus murinus</i> (Linnaeus, 1766)	家鼯	NLC	LC
<i>Anourosorex yamashinai</i> Kuroda, 1935	短尾鼯	NLC	LC
<i>Pseudosoriculus fumidus</i> (Thomas, 1913)	臺灣長尾鼯	NLC	LC
<i>Mogera insularis</i> (Swinhoe, 1863)	臺灣鼯鼠	NLC	LC
<i>Mogera kanoana</i> Kawada et al., 2007	鹿野氏鼯鼠	NLC	NE

<i>Lepus sinensis formosus</i> Thomas, 1908	臺灣野兔	NLC	LC
<i>Macaca cyclopis</i> Swinhoe, 1863	臺灣獼猴	NLC	LC
<i>Apodemus agrarius</i> (Pallas, 1771)	赤背條鼠	NLC	LC
<i>Apodemus semotus</i> Thomas, 1908	臺灣森鼠	NLC	LC
<i>Bandicota indica</i> (Bechstein, 1800)	鬼鼠	NLC	LC
<i>Micromys minutus</i> (Pallas, 1771)	巢鼠	NLC	LC
<i>Mus formosanus</i> Kuroda, 1925	田鼯鼠	NLC	LC
<i>Mus musculus</i> Linnaeus, 1758	家鼯鼠	NLC	LC
<i>Niviventer coninga</i> (Swinhoe, 1864)	刺鼠	NLC	LC
<i>Niviventer culturatus</i> (Thomas, 1917)	高山白腹鼠	NLC	LC
<i>Rattus losea</i> (Swinhoe, 1871)	小黃腹鼠	NLC	LC
<i>Rattus norvegicus</i> (Berkenhout, 1769)	溝鼠	NLC	LC
<i>Rattus tanezumi</i> (Temminck, 1844)	亞洲家鼠	NLC	LC
<i>Callosciurus erythraeus taiwanensis</i> (Bonhote, 1901)	赤腹松鼠	NLC	LC
<i>Dremomys pernyi owstoni</i> (Thomas, 1908)	長吻松鼠	NLC	LC
<i>Tamiops maritimus</i> (Bonhote, 1900)	條紋松鼠	NLC	LC
<i>Belomys pearsonii kaleensis</i> (Swinhoe, 1863)	小鼯鼠	NLC	DD
<i>Petaurista lena</i> Thomas, 1907	白面鼯鼠	NLC	LC
<i>Petaurista grandis</i> (Swinhoe, 1863)	大赤鼯鼠	NLC	LC

### List of Nationally Critical terrestrial mammal taxa in Taiwan

Taxon	Common name	Criteria	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Lutra lutra</i> (Linnaeus, 1758)	Eurasian otter	C2a(i)b; D	NCR	NT
<i>Pteropus dasymallus formosus</i> Sclater, 1873	Formosan flying fox	C2a(i)b	NCR	VU

### List of Nationally Endangered terrestrial mammal taxa in Taiwan

Taxon	Common name	Criteria	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Prionailurus bengalensis</i> (Kerr, 1792)	Leopard cat	C1; E	NEN	LC
<i>Ursus thibetanus formosanus</i> Swinhoe, 1864	Formosan black bear	C2a(i)	NEN	VU
<i>Vespertilio sinensis</i> (Peters, 1880)	Asian particolored bat	A2(acd); B1ab(iii,iv,v)c(iv); C2b	NEN	LC

### List of Nationally Vulnerable terrestrial mammal taxa in Taiwan

Taxon	Common name	Criteria	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Martes flavigula chrysoaspila</i> Swinhoe, 1866	Yellow-throated marten	C2a(i)	NVU	LC
<i>Mustela nivalis formosana</i> Lin et al., 2010	Formosan least weasel	B1ab(iii, iv); D2	NVU	LC
<i>Coelops frithii formosanus</i> Horikawa, 1928	Formosan tailless leaf-nosed bat	C2a(i)b	NVU	NT
<i>Myotis formosus flavus</i> Shamel, 1944	Hodgson's myotis	A2(ad); B2b(iii)c(iii); Ca(i)b	NVU	NT
<i>Chimarrogale leander</i> Thomas, 1902	Leander's water shrew	B1ab(iii)c(iii,iv)	NVU	LC
<i>Manis pentadactyla pentadactyla</i> Linnaeus, 1758	Formosan short-tailed pangolin	C2b	NVU	CR

### List of Nationally Near-threatened terrestrial mammal taxa in Taiwan

Taxon	Common name	Criteria	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Rusa unicolor swinhoii</i> (Sclater, 1862)	Formosan sambar	B1c(iv)	NNT	VU
<i>Viverricula indica</i> (É. Geoffroy Saint-Hilaire, 1803)	Small Indian civet	B1c(iv)	NVU	LC
<i>Plecotus taiwanus</i> Yoshiyuki, 1991	Taiwan long-eared bat	B1b(i)	NLC	NT
<i>Myotis soror</i> Ruedi et al., 2015	Reddish myotis	B1c(iii)	DD	DD
<i>Myotis pilosus</i> (Peters, 1869)	Rickett's big-footed myotis*	C2a(i)	--	VU
<i>Harpiocephalus harpia</i> (Temminck, 1840)	Hairy-winged bat	B1c(iii)	DD	LC
<i>Chodsigoa sodalis</i> Thomas, 1913	Lesser Taiwanese brown-toothed shrew	B1b(iii)	DD	DD
<i>Eothenomys columnus</i> (Thomas, 1911)	Zhejiang red-backed vole	B1c(iv)	NNT	LC
<i>Alexandromys kikuchii</i> (Kuroda, 1920)	Taiwan vole	B1c(iv)	NNT	LC

### List of Data Deficient terrestrial mammal taxa in Taiwan

Taxon	Common name	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Hypsugo pulveratus</i> (Peters, 1871)	Chinese pipistrelle	DD	LC

**List of Nationally Least Concern terrestrial mammal taxa in Taiwan**

Taxon	Common name	Red list Category of Taiwan, 2017	Global Red list Category, 2024
<i>Capricornis swinhoei</i> Gray, 1862	Formosan serow	NNT	LC
<i>Muntiacus reevesi micrurus</i> (Sclater, 1875)	Formosan reeves's muntjac	NLC	LC
<i>Sus scrofa taivanus</i> (Swinhoe, 1863)	Eurasian wild pig	NLC	LC
<i>Urva urva formosana</i> (Bechthold, 1936)	Formosan crab-eating mongoose	NNT	LC
<i>Melogale subaurantiaca</i> (Swinhoe, 1862)	Formosan ferret-badger	NLC	LC
<i>Mustela sibirica taivana</i> Thomas, 1913	Formosan siberian weasel	NLC	LC
<i>Paguma larvata</i> (C. H. Smith, 1827)	Masked palm civet	NLC	LC
<i>Hipposideros armiger terasensis</i> Kishida, 1924	Formosan leaf-nosed bat	NLC	LC
<i>Miniopterus fuliginosus</i> (Hodgson, 1835)	Asian long-fingered bat	NLC	NE
<i>Tadarida insignis</i> (Blyth, 1862)	East Asian free-tailed bat	NLC	DD
<i>Rhinolophus formosae</i> Sanborn, 1939	Formosan greater horseshoe bat	NLC	LC
<i>Rhinolophus monoceros</i> Andersen, 1905	Formosan lesser horseshoe bat	NLC	NE
<i>Kerivoula furva</i> Kuo et al., 2017	Dark woolly bat	NLC	LC
<i>Harpiola isodon</i> Kuo et al., 2006	Golden-tipped tube-nosed bat	NLC	LC
<i>Murina bicolor</i> Kuo et al., 2009	Yellow-chested tube-nosed bat	NLC	LC
<i>Murina gracilis</i> Kuo et al., 2009	Taiwan little tube-nosed bat	NLC	LC
<i>Murina puta</i> Kishida, 1924	Taiwan tube-nosed bat	NLC	LC
<i>Murina recondita</i> Kuo et al., 2009	Taiwan faint-golden little tube-nosed bat	NLC	LC

<i>Myotis fimbriatus taiwanensis</i> Ärnäck-Christie-Linde, 1908	Taiwan hairy-legged myotis	NLC	LC
<i>Myotis frater</i> Allen, 1923	Long-tailed whiskered myotis	NLC	LC
<i>Myotis laniger</i> (Peters, 1870)	Chinese water myotis	NLC	LC
<i>Myotis rufoniger</i> (Tomes, 1858)	Reddish-black myotis	NLC	LC
<i>Myotis secundus</i> Ruedi et al., 2015	Taiwan long-toed myotis	NLC	LC
<i>Submyotodon latirostris</i> (Kishida, 1932)	Taiwan broad-muzzled bat	NLC	LC
<i>Barbastella darjelingensis</i> (Hodgson, 1855)	Eastern barbastelle	NLC	LC
<i>Eptesicus pachyomus horikawai</i> Kishida, 1924	Oriental serotine	NLC	LC
<i>Nyctalus plancyi</i> (Gerbe, 1880)	Chinese noctule	NLC	LC
<i>Pipistrellus abramus</i> (Temminck, 1838)	Japanese pipistrelle	NLC	LC
<i>Scotophilus kuhlii</i> Leach, 1821	Lesser Asian yellow bat	NLC	LC
<i>Thainycteris torquatus</i> (Csorba and Lee, 1999)	Necklace sprite	NLC	LC
<i>Crocidura tadae</i> Tokuda and Kano, 1936	Kuroda's white-toothed shrew	NLC	DD
<i>Crocidura shantungensis hosletti</i> Jameson and Jones, 1977	Hoslet's shantung shrew	NLC	LC
<i>Crocidura tanakae</i> Kuroda, 1938	Taiwanese gray white-toothed shrew	NLC	LC
<i>Suncus murinus</i> (Linnaeus, 1766)	Asian house shrew	NLC	LC
<i>Anourosorex yamashinai</i> Kuroda, 1935	Taiwanese mole shrew	NLC	LC
<i>Pseudosoriculus fumidus</i> (Thomas, 1913)	Taiwanese brown-toothed shrew	NLC	LC
<i>Mogera insularis</i> (Swinhoe, 1863)	Formosan mole	NLC	LC
<i>Mogera kanoana</i> Kawada et al., 2007	Kano's mole	NLC	NE

<i>Lepus sinensis formosus</i> Thomas, 1908	Formosan hare	NLC	LC
<i>Macaca cyclopis</i> Swinhoe, 1863	Taiwanese macaque	NLC	LC
<i>Apodemus agrarius</i> (Pallas, 1771)	Striped field mouse	NLC	LC
<i>Apodemus semotus</i> Thomas, 1908	Taiwan field mouse	NLC	LC
<i>Bandicota indica</i> (Bechstein, 1800)	Greater bandicoot rat	NLC	LC
<i>Micromys minutus</i> (Pallas, 1771)	Red-eared harvest mouse	NLC	LC
<i>Mus formosanus</i> Kuroda, 1925	Formosan mouse	NLC	LC
<i>Mus musculus</i> Linnaeus, 1758	House mouse	NLC	LC
<i>Niviventer coninga</i> (Swinhoe, 1864)	Spiny Taiwan white-bellied rat	NLC	LC
<i>Niviventer culturatus</i> (Thomas, 1917)	Soft-furred Taiwan white-bellied rat	NLC	LC
<i>Rattus losea</i> (Swinhoe, 1871)	Losea rat	NLC	LC
<i>Rattus norvegicus</i> (Berkenhout, 1769)	Brown rat	NLC	LC
<i>Rattus tanezumi</i> (Temminck, 1844)	East Asian house rat	NLC	LC
<i>Callosciurus erythraeus thaiwanensis</i> (Bonhote, 1901)	Formosan red-bellied squirrel	NLC	LC
<i>Dremomys pernyi owstoni</i> (Thomas, 1908)	Formosan long-nosed squirrel	NLC	LC
<i>Tamiops maritimus</i> (Bonhote, 1900)	Maritime striped squirrel	NLC	LC
<i>Belomys pearsonii kaleensis</i> (Swinhoe, 1863)	Formosan hairy-footed flying squirrel	NLC	DD
<i>Petaurista lena</i> Thomas, 1907	Taiwan giant flying squirrel	NLC	LC
<i>Petaurista grandis</i> (Swinhoe, 1863)	Formosan giant flying squirrel	NLC	LC